BBA

Biomembranes

Vol. 1145, 1993

Cumulative Contents

Editorial vii

Information for Contributors ix

Regular Papers

Import of phosphatidylserine into isolated yeast mitochondria
R. Simbeni, K. Tangemann, M. Schmidt, C. Ceolotto, F. Paltauf and G. Daum (Austria) 1

Specific modifications of the membrane fatty acid composition of human myotubes and their effects on the muscular sodium channels
H. Brinkmeier, J.V. Mutz, M.J. Seewald, I. Melzner and R. Rüdel (Germany) 8

Mutual interaction of ion uptake and membrane potential
G.W.F.H. Borst-Pauwels (Netherlands) 15

Chaotropic anion–phosphatidylcholine membrane interactions: an ultra high field NMR study
G.L. Jendrasiak, R. Smith and A.A. Ribeiro (USA) 25

Orientation change of glycopeptide in lipid bilayer membrane induced by lectin binding
K. Otoda, S. Kimura and Y. Imanishi (Japan) 33

Interdigitated gel phase bilayers formed by unsaturated synthetic and bacterial glycerolipids in the presence of polymyxin B and glycerol
J.M. Boggs and B. Tümmler (Canada, Germany) 42

Assembly and channel-forming activity of a naturally-occurring nicked molecule of *Staphylococcus aureus* α-toxin
T. Tomita, M. Watanabe and Y. Yarita (Japan) 51

Effect of sub-skinning concentrations of saponin on intracellular Ca^{2+} and plasma membrane fluidity in cultured cardiac cells
H. Ishida, Y. Hirota and H. Nakazawa (Japan) 58

Change in oligomeric structure of solubilized Na^+/K^+-ATPase induced by octaethylene glycol dodecyl ether, phosphatidylserine and ATP
K. Mimura, H. Matsui, T. Takagi and Y. Hayashi (Japan) 63

In squid axons the Ca_i^{2+} regulatory site of the Na^+/Ca^{2+} exchanger is drastically modified by sulfhydryl blocking agents. Evidences that intracellular Ca_i^{2+} regulatory and transport sites are different
R. DiPolo and L. Beaugé (Venezuela, Argentina, USA) 75

Structural and functional properties of rhodopsin from rod outer segment disk and plasma membrane
Y.-T. Hsu, S.Y.C. Wong, G.J. Connell and R.S. Molday (Canada, UK) 85

Dehydration-induced lamellar-to-hexagonal-II phase transitions in DOPE/DOPC mixtures
M.S. Webb, S.W. Hui and P.L. Steponkus (USA) 93

The oligomeric structure of renal aminopeptidase N from bovine brush-border membrane vesicles
S. Plakidou-Dymock and J.D. McGivan (UK) 105

Porcine aortic endothelial cell membranes contain a LPAF:CoA-independent transacylase
G.J. Jansen, C.R. Pritzker and D. Deykin (USA) 113

Ionophore properties of OmpA of *Escherichia coli*
N. Saint, E. De, S. Julien, N. Orange and G. Molle (France) 119

Orientation and structure of the NH_2-terminal HIV-1 gp41 peptide in fused and aggregated liposomes
I. Martin, F. Defrise-Quertain, E. Decroly, M. Vandenbranden, R. Brasseur and J.-M. Ruysschaert (Belgium) 124

A topographical study of the electroplax sodium channel with site-directed antibodies
H. Nakayama, K.-i. Nakayama, Y. Nonomura, M. Kobayashi, K. Kangawa, H. Matsuo and Y. Kanaoka (Japan) 134

Configurational entropy is the driving force of ethanol action on membrane architecture
D.-C. Wang, T.F. Taraschi, E. Rubin and N. Janes (USA) 141

The location of amantadine hydrochloride and free base within phospholipid multilayers: a neutron and X-ray diffraction study
K.C. Duff, A.J. Cudmore and J.P. Bradshaw (UK) 149

Properties of gel phase lipid-trehalose bilayers upon rehydration
L.I. Viera, S. Alonso-Romanowski, V. Borovyagin, M.R. Feliz and E.A. Disalvo (Argentina) 157

Transport properties and inhibitor sensitivity of isolated and reconstituted porin differ from those of intact mitochondria
G. Báthori, M. Sahin-Tóth, A. Fonyó and E. Ligeti (Hungary) 168

Rapid Reports

Actin and actin-binding proteins in plasma membranes derived from Walker 256 ascites or solid tumour cells
G.A.J. Goodlad and C.M. Clark (UK) 177

Misuse of graphical analysis in nonlinear sugar transport kinetics by Eadie-Hofstee plots
G.F. Fuhrmann and B. Völker (Germany) 180

Corrigendum 183

Regular Papers

Characterization of the hydrophobic interaction of steroids with endoplasmic reticulum membranes by quenching of 6,8(14)-bisdehydro-17α-hydroxyprogesterone fluorescence
W.N. Kühn-Velten and M.A. Kempfle (Germany) 185

Characterization of the membrane-associating domain of the sperm adhesive protein, bindin
S.J. Miraglia and C.G. Glabe (USA) 191

Effects of alkaline pH on the stimulation of glucose transport in rat skeletal muscle
J.-M. Ren, J.H. Youn, E.A. Gulve, E.J. Henriksen and J.O. Holloszy (USA) 199

Alteration of the erythrocyte membrane via enzymatic degradation of ankyrin (band 2.1): subcellular surgery characterized by EPR spectroscopy
K. Hensley, J. Postlewaite, P. Dobbs and D.A. Butterfield (USA) 205

Characterization of an antibody to the cross-reacting determinant of the glycosyl-phosphatidylinositol anchor of human membrane dipeptidase
S.J. Broomfield and N.M. Hooper (UK) 212

Purification of a basic fibroblast growth factor-binding proteoglycan from bovine cardiac plasma membrane
C.R. Ross, S. Kubinak and C.C. Hale (USA) 219

Modulation of the synthesis and glycosylation of the glucose transporter protein by transforming growth factor-β1 in Swiss 3T3 fibroblasts
A. Masumi, Y. Akamatsu and T. Kitagawa (Japan) 227

Peptide hormone–membrane interactions. Intervesicular transfer of lipophilic gastrin derivatives to artificial membranes and their bioactivities
R. Romano, M. Dufresne, M.-C. Prost, J.-P. Bali, T.M. Bayerl and L. Moroder (Germany, France) 235

Oxidation/isomerization of 5-cholesten-3β-ol and 5-cholesten-3-one to 4-cholesten-3-one in pure sterol and mixed phospholipid-containing monolayers by cholesterol oxidase
J.P. Slotte and A.-L. Östman (Finland) 243

Solubilization and functional reconstitution of the human placental taurine transporter
S. Ramamoorthy, P. Kulanthaivel, F.H. Leibach, V.B. Mahesh and V. Ganapathy (USA) 250

Expression of liver fatty acid binding protein alters plasma membrane lipid composition and structure in transfected L-cell fibroblasts
J.K. Woodford, J.R. Jefferson, W.G. Wood, T. Hubbell and F. Schroeder (USA) 257

Amiloride and 5-(*N*-ethyl-*N*-isopropyl)amiloride inhibit medium acidification and glucose metabolism by the fission yeast *Schizosaccharomyces pombe*
R.S. Haworth, E.J. Cragoe Jr. and L. Fliegel (Canada, USA) 266

Multiple conductance levels of calcium-permeable channels activated by epidermal growth factor in A431 carcinoma cells
A.P. Naumov, Y.A. Kuryshev and G.N. Mozhayeva (Russia) 273

Effects of ultrasound on the steady-state transmembrane pH gradient and the permeability of acetic acid through bilayer lipid membranes
P. Pohl, E. Rosenfeld and R. Millner (Germany) 279

Effects of platelet-activating factor and related lipids on dielaidoylphosphatidylethanolamine by DSC, FTIR and NMR
J. Salgado, J. Villalaín and J.C. Gómez-Fernández (Spain) 284

Effects of 1,2-diacylglycerol and cholesterol on the hydrolysis activity of phospholipase D in egg-yolk phosphatidylcholine bilayers
I. Yamamoto, T. Mazumi, T. Handa and K. Miyajima (Japan) 293

Calorimetric studies of fully hydrated phosphatidylcholines with highly asymmetric acyl chains
C. Huang, Z.-q. Wang, H.-n. Lin and E.E. Brumbaugh (USA) 298

Effects of the phospholipid environment in the plasma membrane on receptor interaction with the adenylyl cyclase complex of intact cells
C. Jansson, A.-S. Härmälä, D.M. Toivola and J.P. Slotte (Finland) 311

Cumulative Contents, Vol. 1145 321

Author Index 323

RG